

auto
bella[®]
by IDROBASE 

Autobella



How to use
Lancia Doppia
Piuma




IDROBASE[®]
PASSION FOR WATER



The **Made in Italy** answer for **car detailing**:
foam lances and products for vehicles
cleaning and maintenance.

Idrobase Group, thanks to the experience gained in car wash field, has developed **Autobella**: a range of tools capable of satisfying different needs, for who is searching for user-friendliness and rapid effectiveness, as well as for those who are persevering professionalism and durability.

Autobella is innovation too: **patented solutions** are directly
designed by Idrobase Group.



BENEFITS

Autobella line makes affordable to everyone a collection of **professional quality** equipment: solutions concerning an advantageous price/performance ratio and a flexibility, which makes them suitable for most various contexts.

Complete range of professional solutions

Innovation and effectiveness

Top-quality components

Tested solution for different needs

Ergonomics and practicality

Customer care and spare parts

SOLUTIONS

Piuma and Stylo foam lances

Double lances

A-Vortice guns for interior cleaning

A-Kit Lavaggio

Accessories: chamois leather, shampoo and more.





Patented solution

DOUBLE LANCE, 2 IN 1 SOLUTION FOR FOAMING AND CLEANING PATENTED AND EASY TO USE

Patented Idrobase Group's double lances are ideal for small car-washes and domestic use: they combine the foaming and rinsing functions in a single practical and handy solution. Thanks to a handy diverter it is possible to switch modes instantly without changing gun or equipment during washing. The double lances consist of: 3 ready-to-use kits (complete with gun, lance, tank or injector) and a lance equipped with a quick coupling, which connects directly to the guns of the most popular pressure washers on the market.

A **single product**,
two functions

2in1

Intuitive, practical
and handy




**Universally
compatible**



Switch mode
by **push button**




Rich and thick
foaming



How to use the
Lancia Doppia Piuma for
car wash applications




Piuma Double Lance Kit




How to use Kit
Lancia Doppia Piuma

Lunga Double Lance Kit




How to use Kit
Lancia Doppia
Lunga

Piuma Double Lance



How to use Lancia
Doppia Piuma

Lunga Plus Double Lance Kit



How to use Lancia
Doppia Lunga Plus




DOUBLE LANCE



Patented

Lunga Double lance kit



with spray gun PRO1 M22x1,5M,
professional foam lance ø2.1mm,
with detergent injector ø1.4mm and filter with non-return valve

ZL.1V755Z

Lunga Double lance Kit 1

**ZL.1V255Z**

Lunga Double lance Kit 2



How to use
Lancia Doppia
Lunga

Technical features

Max working pressure: 200bar
Max flow rate: 15l/min
Max temperature: 60°C

Specifications

Lunga Double lance
kit length: 36cm
Diverter with anodized
aluminium body
Chrome-plated steel rinse
lance with 045 nozzle

Lunga Plus Double lance kit



with spray gun PRO1 M22x1,5M, with extension
professional foam lance ø2.1mm,
with detergent injector ø1.4mm and filter with non-return valve

ZL.14J559

Lunga Plus Double lance Kit 1

**ZL.142559**

Lunga Plus Double lance Kit 2



How to use
Lancia Doppia
Lunga Plus

Technical features

Max working pressure: 200bar
Max flow rate: 15l/min
Max temperature: 60°C

Specifications

Lunga Plus Double lance
kit length: 75cm
Diverter with anodized
aluminium body
Chrome-plated steel rinse
lance with 045 nozzle

Piuma Double lance



Kärcher, Bosch, Faip,
Black + Decker, Alto,
Gerni, Lavorwash,
Annovi, Comet,
Nilfisk, Portotecnica,
KW, Makita, Kränzle,
DeWalt, Michelin
and Stanley*



* To get to know all Piuma Double lance's models
and connections go to page 364



Technical features

Max working pressure: 160bar
Max flow rate: 21l/min
Max temperature: 60°C

Specifications

Diverter with anodized
aluminium body
Chrome-plated steel rinse lance



How to use
Lancia Doppia
Piuma

Piuma Double lance kit



with spray gun RED50 (1*) and PRO1 (2**) inlet M22x1,5M,
Foam Lance Piuma Aluminium with 0.5L tank

ZL.13T35

Piuma Double lance Kit 1



ZL.1VT35

Piuma Double lance Kit 2



How to use Kit
Lancia Doppia
Piuma

Technical features

Max working pressure: 160bar
Max flow rate: 21l/min
Max temperature: 60°C


Specifications

Piuma Double lance
kit length: 21cm
Diverter with anodized
aluminium body
Chrome-plated steel rinse
lance with 045 nozzle

FOAM LANCES

DOUBLE LANCE WITH FOAM HEAD

NEW



Code	Rinse nozzle flow rate
ZL.XX-GJ405L	040
ZL.XX-GJ455L	045
ZL.XX-GJ505L	050

- Technical features**
- Max working pressure: 200bar
 - Lance length: 30cm
 - Max temperature: 60°C
 - Inlet M22x1,5 M

Inner foaming head nozzle not included.*
 Choose and assemble the tip nozzle (page 459), with 0° angle and a suitable flow rate based on the characteristics of the machine or system, in the inlet of the foaming head. Upstream of the foaming head there must be a high pressure detergent ejector or a dosing pump.



The foam jet can be oriented vertically or horizontally only when the foaming head is not being used.



Code	Rinse nozzle flow rate
ZL.17-GJ405L	040
ZL.17-GJ455L	045
ZL.17-GJ505L	050

- Technical features**
- Max working pressure: 200bar
 - Lance length: 30cm
 - Max temperature: 60°C
 - PRO1 gun inlet M22x1,5 M



Foam head spare parts

CDR.7597
Pressed filter 14x10
 made in AISI 304
 stainless steel



DOUBLE LANCE

Technical features

- Max working pressure: 200bar
- Max flow rate: 21l/min
- Max temperature: 60°C

Specifications

- Double lance lenght: 21cm
- Diverter with anodized aluminium body
- Home and Garden version (without G1/4" F): chrome-plated steel rinse lance with 035 nozzle
- Professional and G1/4" F version: chrome-plated steel rinse lance with 045 nozzle
- Chrome-plated steel detergent lance with brass nozzle b.p. 65 ° 400

For Home and Garden use

With inlet

G1/4" F

ZL.XX-A35X



Double lance 1
available in packs of 10 pieces



Fitting Kärcher



ZL.1X-A65A

Double lance 2
with bayonet CDR.7388-A
and brass nipple G1/4" M-M CDR.7184

Fitting Kärcher



ZL.1X-A654

Double lance 3
with aluminium bayonet CDR.7739-AMKS

Fitting Annovi Reverberi,
Black & Decker, Michelin,
De Walt and Stanley

ZL.1X-A651

Double lance 4
with aluminium bayonet CDR.7739-AMB

Fitting Portotecnica
Faip and Bosch

ZL.1X-A652

Double lance 5
with aluminium bayonet CDR.7739-AMF

Fitting Nilfisk, Kew,
and Alto

ZL.1X-A656

Double lance 6
with aluminium bayonet CDR.7739-AMN

Fitting Lavorwash,
and Comet

ZL.1X-A655

Double lance 7
with aluminium bayonet CDR.7739-AML

Fitting Gerni

NEW



ZL.1X-A65

Double lance 8
with aluminium bayonet CDR.7739-AMG

Fitting Makita

NEW



ZL.1X-A65

Double lance 9
with aluminium bayonet CDR.7739-AMM

For professional use

Fitting Comet,
Portotecnica and
Annovi

M22x1,5 M

ZL.1X-A35L

Double lance 8
with screw quick
coupling M22x1,5 M CDR.7111

Fitting Kränzle



ZL.1X-A35M

Double lance 9
with screw quick coupling
M22x1,5 M long CDR.7379

Fitting Kärcher



ZL.1X-A35N

Double lance 10
with screw quick
coupling M22x1,5 F CDR.7108-S

KW type



ZL.1X-A35G

Double lance 11
with AB.0004-M quick coupling

M type galvanised
steel

ZL.1X-A35H

Double lance 12
with galvanised steel M quick
coupling CDR.7009 and brass nipple
G1/4" M - 3/8" M CDR.7185

M type stainless steel



ZL.1X-A35K

Double lance 13
with AISI 416 stainless steel M quick
coupling CDR.7011 and brass nipple
G1/4" M - 3/8" M CDR.7185

M type galvanised
steel

ZL.1X-A35U

Double lance 14
with galvanised steel M quick
coupling CDR.7055



Patented solution



PIUMA, THE PATENTED CAR WASH FOAM LANCE: LIGHTER AND WITH AN EASE OF USE NEVER EXPERIENCED BEFORE.

Piuma is an improved device for the controlled delivery of a rich foam that sticks to the surface to be washed.

It is made of AISI 304 stainless steel, aluminium and brass, and high strength POM.



Piuma foam lance for car
wash – Working lightly



Piuma foam lance



The patented foam lance Piuma is the definitive choice that stands out from other foam lances on the market.

It is used for dispensing foaming detergents.

This foam lance is suitable for use with high-pressure washers and centralised high-pressure washing systems.

- Lance body:
- made of brass for versions on pag. 365-367
 - made of anodized aluminium for versions on pag. 364
 - made of AISI 304 stainless steel on pag. 366



Detergent dispenser made of shock-resistant POM, AISI 304 Stainless Steel "duck-bill" foam diffuser, fan spray from 0° to 40°



Nozzle made of AISI 304 stainless steel diameter 1,25mm (other diameters available on request)



Tablet for producing the foam, made of pressed AISI 304 Stainless Steel wires



POM delivery: over time no oxidized areas can clog the filter

1L polyamide tank, with non-deformable increased thread and graduated scale



Auto Bella Packaging
Car wash accessories



Dimensions designed for saving.

The sizing of our foam lances has been specially designed to optimize the bulk, thus ensuring a considerable savings in transport.

PIUMA FOAM LANCE



Technical features

- Max working pressure: 160bar
- Max flow rate: 21l/min
- Max temperature: 60°C

Specifications

- Piuma Double lance length: 21cm
- Piuma lance AISI 304 stainless steel nozzle: ø1,25mm
- Diverter with anodized aluminium body
- Chrome-plated steel rinse lance with 035 nozzle

With inlet

G1/4" F

Fitting Kärcher



Fitting Kärcher

Fitting Anнови Reverberi,
Black + Decker, Michelin,
De Walt and StanleyFitting Portotecnica
Faip and Bosch

Fitting, Nilfisk, Kew and Alto



Fitting Lavorwash and Comet



Fitting Gerni

NEW



Fitting Makita

NEW



For Home and Garden use

Piuma Aluminium foam lance



0,5L tank

ZS.5R4X



Piuma Aluminium foam lance 1
available in packs of 10 pieces

Piuma Double lance



0,5L tank

ZL.XX465X



Piuma Double lance 1
available in packs of 10 pieces

ZS.5F4A

Piuma Aluminium foam lance 2
with bayonet CDR.7388-A
and brass nipple G1/4" M-M CDR.7184

ZL.1X465A

Piuma Double lance 2
with bayonet CDR.7388-A
and brass nipple G1/4" M-M CDR.7184

ZS.5F44

Piuma Aluminium foam lance 3
with aluminium bayonet CDR.7739-AMKS

ZL.1X4654

Piuma Double lance 3
with aluminium bayonet CDR.7739-AMKS

ZS.5F41

Piuma Aluminium foam lance 4
with aluminium bayonet CDR.7739-AMB

ZL.1X4651

Piuma Double lance 4
with aluminium bayonet CDR.7739-AMB

ZS.5F42

Piuma Aluminium foam lance 5
with aluminium bayonet CDR.7739-AMF

ZL.1X4652

Piuma Double lance 5
with aluminium bayonet CDR.7739-AMF

ZS.5F46

Piuma Aluminium foam lance 6
with aluminium bayonet CDR.7739-AMN

ZL.1X4656

Piuma Double lance 6
with aluminium bayonet CDR.7739-AMN

ZS.5F45

Piuma Aluminium foam lance 7
with aluminium bayonet CDR.7739-AML

ZL.1X4655

Piuma Double lance 7
with aluminium bayonet CDR.7739-AML

ZS.5F48

Piuma Aluminium foam lance 8
with aluminium bayonet CDR.7739-AMG

ZL.1X4658

Piuma Double lance 8
with aluminium bayonet CDR.7739-AMG

ZS.5F49

Piuma Aluminium foam lance 9
with aluminium bayonet CDR.7739-AMM

ZL.1X4659

Piuma Double lance 9
with aluminium bayonet CDR.7739-AMM

SCHIUMA
FACILE

Concentrated single-dose foam
shampoo for vehicle washing.
Packs: 7 pieces of 100ml.

Dissolves the toughest dirt, with a
fast action on oil, grease, road and
winter dirt on all kinds of vehicles,
bicycles, motorcycles and trailers.

Operating instructions

- Pour 400ml of water into the foam lance tank and then add 1 single-dose blister of product (total 0.5L, dilution).
- Connect the tank and spray the vehicle evenly over the entire surface.
- Clean with a brush and finally rinse with high pressure.



How to use
Schiuma
Facile

ZX.DM100X7

7 x 100ml

Technical features

- Max working pressure: 160bar
- Max flow rate: 21l/min
- Max temperature: 60°C

Specifications

- Piuma Double lance length: 21cm
- Piuma lance AISI 304 stainless steel nozzle: ø1,25mm
- Diverter with anodized aluminium body
- Chrome-plated steel rinse lance with 045 nozzle

With inlet

G1/4" F

For professional use

Piuma Brass foam lance



1L tank

ZS.3B4X



Piuma Brass foam lance 1
available in packs of 10 pieces

Piuma Double lance



1L tank

ZL.XX835X



Piuma Double lance 8
available in packs of 10 pieces

Fitting Comet,
Portotecnica and Annovi

M22x1,5 M

ZS.3A4L

Piuma Brass foam lance 2
with screw quick
coupling M22x1,5 M CDR.7111

ZL.1X835L

Piuma Double lance 9
with screw quick
coupling M22x1,5 M CDR.7111

Fitting Kränzle



M22x1,5 M long

ZS.3A4M

Piuma Brass foam lance 3
with screw quick coupling
M22x1,5 M long CDR.7379

ZL.1X835M

Piuma Double lance 10
with screw quick coupling
M22x1,5 M long CDR.7379

Fitting Kärcher



ZS.3A4N

Piuma Brass foam lance 4
with screw quick
coupling M22x1,5 F CDR.7108-S

ZL.1X835N

Piuma Double lance 11
with screw quick
coupling M22x1,5 F CDR.7108-S

KW type



ZS.3A4G

Piuma Brass foam lance 5
with AB.0004-M quick coupling

ZL.1X835G

Piuma Double lance 12
with AB.0004-M quick coupling

M type galvanised steel



19,70mm

ZS.3A4H

Piuma Brass foam lance 6
with galvanised
steel M quick coupling CDR.7009
and brass nipple G1/4" M - 3/8" M CDR.7185

ZL.1X835H

Piuma Double lance 13
with galvanised
steel M quick coupling CDR.7009
and brass nipple G1/4" M - 3/8" M CDR.7185

M type stainless steel



19,70mm

ZS.3A4K

Piuma Brass foam lance 7
with AISI 416 stainless steel M quick coupling CDR.7011
and brass nipple G1/4" M - 3/8" M CDR.7185

ZL.1X835K

Piuma Double lance 14
with AISI 416 stainless steel M quick coupling CDR.7011
and brass nipple G1/4" M - 3/8" M CDR.7185

M type galvanised steel



11,70mm

ZS.3A4U

Piuma Brass foam lance 8
with galvanised steel M quick
coupling CDR.7055

ZL.1X835U

Piuma Double Lance 15
with galvanised steel M quick
coupling CDR.7055

STAINLESS STEEL FOAM LANCE

Technical features

- Max working pressure: 160bar
- Max flow rate: 21l/min
- Max temperature: 60°C

Specifications

- Piuma Double lance PRO length: 21cm
- Piuma lance with AISI 304 stainless steel body
- Piuma lance AISI 304 stainless steel nozzle: Ø1,25mm
- Diverter with anodized aluminium body
- Chrome-plated steel rinse lance with 045 nozzle

With inlet

G1/4" F

For industrial use

Piuma Stainless Steel foam lance



1L tank

ZS.SB4X



Piuma Stainless Steel foam lance 1
available in packs of 10 pieces

Piuma Double lance PRO



1L tank

ZL.XX655X



Piuma Double lance PRO 1
available in packs of 10 pieces

Fitting Comet, Portotecnica and Annovi



M22x1,5 M

ZS.SA4L

Piuma Stainless Steel foam lance 2
with screw quick coupling
M22x1,5 M CDR.7111

ZL.1X635L

Piuma Double lance PRO 2
with Piuma stainless steel and screw quick
coupling M22x1,5 M CDR.7111

Fitting Kränzle



M22x1,5 M long

ZS.SA4M

Piuma Stainless Steel foam lance 3
with screw quick coupling
M22x1,5 M long CDR.7379

ZL.1X635M

Piuma Double lance PRO 3
with Piuma stainless steel and screw quick
coupling M22x1,5 M long CDR.7379

Fitting Kärcher



ZS.SA4N

Piuma Stainless Steel foam lance 4
with screw quick coupling
M22x1,5 F CDR.7108-S

ZL.1X635N

Piuma Double lance PRO 4
with Piuma stainless steel and screw quick
coupling M22x1,5 F CDR.7108-S

KW type



ZS.SA4G

Piuma Stainless Steel foam lance 5
with AB.0004-M quick coupling

ZL.1X635G

Piuma Double lance PRO 5
with Piuma stainless steel and AB.0004-M
quick coupling

M type galvanised steel



19,70mm

ZS.SA4H

Piuma Stainless Steel foam lance 6
with galvanised steel M quick coupling CDR.7009
and brass nipple G1/4" M - 3/8" M CDR.7185

ZL.1X635H

Piuma Double lance PRO 6
with Piuma stainless steel and galvanised
steel M quick coupling CDR.7009
and brass nipple G1/4" M - 3/8" M CDR.7185

M type stainless steel



19,70mm

ZS.SA4K

Piuma Stainless Steel foam lance 7
with AISI 304 stainless steel
M quick coupling CDR.7011
and brass nipple G1/4" M - 3/8" M CDR.7185

ZL.1X635K

Piuma Double lance PRO 7
with Piuma stainless steel and AISI 304 stainless
steel M quick coupling CDR.7011
and brass nipple G1/4" M - 3/8" M CDR.7185

M type stainless steel



11,70mm

ZS.SA4V

Piuma Stainless Steel foam lance 8
with AISI 304 stainless steel M
quick coupling CDR.7055-SS

ZL.1X635V

Piuma Double lance PRO 8
with Piuma stainless steel and AISI 304 stainless
steel M quick coupling CDR.7055-SS

LONG LIFE FOAM LANCE

Technical features

- Max working pressure: 160bar
- Max flow rate: 21l/min
- Max temperature: 60°C

Specifications

- Piuma lance AISI 304 stainless steel nozzle: ø1,25mm

For professional use

Long Life Piuma Brass foam lance



1L tank

ZF.3B4X



Long Life Piuma Brass foam lance 1
available in packs of 10 pieces



Brass body with filter cartridge in
stainless steel AISI 304

With inlet

G1/4" F

Fitting Comet,
Portotecnica and Annovi

M22x1,5 M

ZF.3A4L

Long Life Piuma Brass foam lance 2
with screw quick coupling
M22x1,5 M CDR.7111

Fitting Kränzle



M22x1,5 M long

ZF.3A4M

Long Life Piuma Brass foam lance 3
with screw quick coupling
M22x1,5 M long CDR.7379

Fitting Kärcher



ZF.3A4N

Long Life Piuma Brass foam lance 4
with screw quick coupling
M22x1,5 F CDR.7108-S

KW type



ZF.3A4G

Long Life Piuma Brass foam lance 5
with AB.0004-M quick coupling

M type galvanised steel



ZF.3A4H

Long Life Piuma Brass foam lance 6
with galvanised steel M quick coupling CDR.7009
and brass nipple G1/4" M - 3/8" M CDR.7185

M type stainless steel



ZF.3A4K

Long Life Piuma Brass foam lance 7
with AISI 416 stainless steel M quick
coupling 416 CDR.7011 and brass nipple
G1/4" M - 3/8" M CDR.7185

M type stainless steel



ZF.3A4U

Long Life Piuma Brass foam lance 8
with galvanised steel M quick coupling CDR.7055
and brass extension CDR.7501



All the versions of Double Lance
are supplied in the innovative
display packaging



Stylo

A-Schiuma

Stylo comes with **different inlet connections** that make it the perfect choice for the world's best-selling DIY pressure washers.









Auto Bella presents **Stylo**, the new foam lance with a $\frac{1}{2}$ liter tank: light and simple to use, it is ideal for cleaning (cars, campers, boats) and for sanitizing (pet beds, carpets).

Stylo has an anti-corrosion treated aluminium body with a foaming device and a stainless steel diffuser.

Hooked to the DIY pressure washer terminal, **Stylo** produces a rich foam, similar in density to the shaving one, which remains attached to the surfaces for several seconds, thus allowing a professional level washing and sanitizing.

do-it
yourself

Stylo

ZS.LF4R Stylo foam lance 1 Fitting Kärcher H.P. washers	 Technical drawing of the Stylo foam lance 1, showing dimensions: 6,0 mm (width of the handle), 20,4 mm (length of the handle), and 30,8 mm (length of the lance body).	
ZS.LF44 Stylo foam lance 2 Fitting Kärcher H.P. washers	 Technical drawing of the Stylo foam lance 2, showing dimensions: 6,0 mm (width of the handle), 20,4 mm (length of the handle), and 30,8 mm (length of the lance body).	
ZS.LF41 Lancia schiuma Stylo 3 Fitting Annovi Reverberi, Black + Decker, Michelin, De Walt and Stanley H.P. washers	 Technical drawing of the Stylo foam lance 3, showing dimensions: 14 mm (width of the handle), 9,2 mm (length of the handle), and 11,9 mm (length of the lance body).	
ZS.LF42 Stylo foam lance 4 Fitting Bosch, Faip, Portotecnica H.P. washers	 Technical drawing of the Stylo foam lance 4, showing dimensions: 11,3 mm (width of the handle), 12 mm (length of the handle), and 11,9 mm (length of the lance body).	
ZS.LF46 Lancia schiuma Stylo 5 Fitting Nilfisk, Kew and Alto H.P. washers	 Technical drawing of the Stylo foam lance 5, showing dimensions: 7,4 mm (width of the handle), 9,2 mm (length of the handle), and 13,9 mm (length of the lance body).	
ZS.LF45 Stylo foam lance 6 Fitting Lavorwash and Comet H.P. washers	 Technical drawing of the Stylo foam lance 6, showing dimensions: 15 mm (width of the handle), 9,2 mm (length of the handle), and 13,7 mm (length of the lance body).	
ZS.LF48 Stylo foam lance 8 Fitting Gerni H.P. washers	 Technical drawing of the Stylo foam lance 8, showing dimensions: 6,9 mm (width of the handle), 13,8 mm (length of the handle), and 6,9 mm (length of the lance body).	
ZS.LF49 Stylo foam lance 9 Fitting Makita H.P. washers	 Technical drawing of the Stylo foam lance 9, showing dimensions: 14 mm (width of the handle), 13,9 mm (length of the handle), and 9,2 mm (length of the lance body).	
ZS.LF4U Stylo foam lance 7 For H.P. washers with connections Quick Ø 11,7 mm	 Technical drawing of the Stylo foam lance 7, showing dimensions: 11,7 mm (length of the lance body).	

FOAM LANCES

FOAM LANCE FOR HOBBY H.P. WASHERS

ZS.GLXX









Technical features

- Inlet: G1/4" F
- Working pressure: 160bar
- Max flow rate: 20l/min
- Temperature: 40°C
- Nozzle diameter: Ø1,25mm
- 1L tank

FOAM LANCE SPARE PARTS

	Long Life Traditional foam lance	Long Life Piuma foam lance with brass body	Piuma foam lance with aluminium body	Piuma foam lance with brass body	Traditional foam lance	Piuma foam lance with stainless steel body	
CDR.7597 Pressed filter 14x10 made in AISI 304 stainless steel 	.	.	.	.	.	.	 10
CDR.1260 1L tank 	.	.	.	.	.	.	 5
CDR.7607 AISI 304 stainless steel nozzle M8x1 Ø1,25mm 	.	.	.	.	.	.	 5
ZX.7594-P Deflector kit 	.	.	.	.	.	.	 5
ZA.0200-R Adjustment kit 	.	.	.	.	.	.	 5
CDR.7610 Detergent suction hose 210mm 	.	.	.	.	.	.	 5
CDR.7433 Foam adjustment ring 	.	.	.	.	.	.	 10




COMPATIBILITY TABLE

		CDR.7739-AMKS G1/4" M	CDR.7739-AMF G1/4" M	CDR.7739-AML G1/4" M	CDR.7739-AMN G1/4" M	CDR.7111 G1/4" M	CDR.7399 G1/4" F	CDR.7739 AMG	CDR.7739-AMB
									
Annovi **	HOBBY H.P. WASHERS *				•				
	Black+Decker BXPW1400PE								•
	Black+Decker BXPW1600PE								•
	Black+Decker BXPW1700PE								•
	Black+Decker BXPW1800PE								•
	Black+Decker BXPW2000E								•
	Black+Decker BXPW2100PE								•
Bosch	AQUATAK		•						
Bosch	HOBBY H.P. WASHERS *		•						
Comet	ETM					•			
Comet	KA 2800-3000-3200-4000-5000					•			
Comet	KL 1400-1600 GOLD-1680 GOLD PLUS					•			
Comet	KRM CLASSIC-EXTRA			•					
Comet	KRS CLASSIC-EXTRA			•					
Comet	KS 1700 GOLD					•			
Comet	KT 1750 GOLD-1800 GOLD-1900 GOLD					•			
Comet	SCOUT 135-150					•			
Comet	TRAPPER2 130 GOLD					•			
	DeWalt DXPW001ME								•
Faip	HOBBY H.P. WASHERS *		•						
	Gerni 3000							•	
	Gerni 3300							•	
	Gerni 3600							•	
	Gerni 4000							•	
	Gerni 5000							•	
	Gerni 5300							•	
	Gerni 7000							•	
	Gerni 7300							•	
Kärcher	SERIE K2	•							
Kärcher	SERIE K3	•							
Kärcher	SERIE K4	•							
Kärcher	SERIE K5	•							
Kärcher	SERIE K7	•							
Kränzle	B 230 T-B 240 T-B 270 T						•		
Kränzle	HD 7/112 TS-10/122 TS-9/80-12/130						•		
Kränzle	K 1152 TS-1152 TST-2160 TS-2160 TST						•		
Kränzle	K 2195 TS-2195 TST-2175 TS-2175 TST						•		
Kränzle	PROFI 160 TST-175 TST-195 TST						•		
Kränzle	PROFI-JET B 13/150-B 10/200-B 16/220						•		
Kränzle	PROFI-JET B 20/200-B 16/250						•		
Kränzle	QUADRO 11/140 TST-9/170 TST-12/150 TST						•		
Kränzle	QUADRO 1200 TS-1200 TST-1500 TS-1500 TST						•		
Kränzle	QUADRO 599 TST-799 TST-899 TST						•		
Kränzle	QUADRO 800 TST-1000 TS-1000 TST						•		
Kränzle	THERM 1165-1						•		
Kränzle	THERM 1525-1						•		
Kränzle	THERM 635-1						•		
Kränzle	THERM 875-1						•		
Kränzle	THERM 895-1						•		
Kränzle	THERM C 11/130- C 13/180-C 15/150						•		
Kränzle	THERM CA 11/130-CA 12/150-CA 15/120						•		

* Indicative sizes as shown in the picture **fitting Black+Decker, Stanley, DeWalt, Michelin

Copyright© Idrobase Group. All rights reserved.

COMPATIBILITY TABLE

		CDR.7739-AMF G1/4" M 	CDR.7739-AML G1/4" M 	CDR.7739-AMN G1/4" M 	CDR.7111 G1/4" F 	AB.0004-M G1/4" M 	CDR.7739 AMB  NEW	CDR.7739-AMM  NEW
Lavorwash	ARMY 110		•					
Lavorwash	CROSS 140		•					
Lavorwash	ENDURO 145 COMPRESSOR		•					
Lavorwash	FURY 110		•					
Lavorwash	GIANT 20, 24 E 28		•					
Lavorwash	MARINE 125		•					
Lavorwash	NAVY 140		•					
Lavorwash	OLD H.P. WASHERS *			•				
Lavorwash	PASCAL 20		•					
Lavorwash	RACE 125		•					
Lavorwash	RAPTOR		•					
Lavorwash	RIDE 110		•					
Lavorwash	TEMPESTA 24		•					
Lavorwash	TORMENTA 28		•					
Lavorwash	TUONO 20		•					
Lavorwash	VERTIGO 28 PLUS		•					
Ni	Makita							•
Ni	Makita							•
Ni	Michelin						•	
Ni	Michelin						•	
Ni	Michelin						•	
Ni	Michelin						•	
Ni	Michelin						•	
Ni	Michelin						•	
Ni	Michelin						•	
	Nilfisk-Alto			•				
	Nilfisk-Alto					•		
	Nilfisk-Alto					•		
	Nilfisk-Alto					•		
	Nilfisk-Alto					•		
	Nilfisk-Alto					•		
	Parkside		•					
	Portotecnica				•			
	Portotecnica				•			
	Portotecnica				•			
	Portotecnica	•						
	Portotecnica				•			
	Portotecnica				•			
	Portotecnica				•			
Ni	Stanley						•	
Ni	Stanley						•	
Ni	Stanley						•	
Ni	Stanley						•	
Ni	Stanley						•	
Ni	Stanley						•	
Ni	Stanley						•	
Ni	Stanley						•	

* Indicative sizes as shown in the picture

**fitting Black+Decker, Stanley, DeWalt, Michelin

Copyright© Idrobase Group. All rights reserved.

CHAMOIS LEATHER AND MICROFIBRE CLOTH

Chamois leather



Code

Dimensions

ZX.44X30

440 x 300mm


ZX.55X36

550 x 360mm


ZX.67X44

670 x 440mm



Chamois leather

For fast and gentle cleaning and polishing of the car body. Ideal for all surfaces, your chamois cloth is the perfect solution that leaves no marks. Eco-friendly product treated with pure fish oil.



Professional
Chamois Leather
for Car

Microfibre cloth

Code

Dimensions

CDR.7668

400 x 400mm



Microfibre cloth

Halve the time for drying the car bodywork avoiding scratches and marks.



DETERGENTS

For the complete range of detergents, go to page 396.

FOAM LANCES

A-KIT LAVAGGIO

• A-Kit Lavaggio ECO

Accessory kit for companies that require infrequent washing. ECO1 spray gun inlet M22x1,5 M, with quick ball couplings, Piuma Alluminio foam lance and 700mm lance for rinsing.

• A-Kit Lavaggio PROFY/ PROFY 2.0

Accessories kit for professional car washing. RED50 spray gun (PROFY) or PRO1 (PROFY 2.0) inlet M22x1,5 M, outlet with swivel ball quick coupling KW type, Piuma Ottone foam lance

and 700mm CdR80 lance for rinsing.

• A-Kit Lavaggio Inox

Accessories kit for continuous use with aggressive detergents.

PRO1 gun inlet M22x1,5 M, outlet with swivel ball quick coupling inox AISI 304 KW type, foam lance Piuma Inox with AISI 304 stainless steel body and CdR80 700mm stainless steel lance for rinsing.



All the versions of A-Kit Lavaggio are supplied in the innovative display packaging

A-Kit Lavaggio ECO



ZL.1NBW

A-Kit Lavaggio ECO

A-Kit Lavaggio PROFY



ZL.1YWV

A-Kit Lavaggio PROFY

A-Kit Lavaggio PROFY 2.0



ZL.1ZWV

A-Kit Lavaggio PROFY 2.0

A-Kit Lavaggio INOX



ZL.1JYC

A-Kit Lavaggio INOX

A-KIT LAVAGGIO POCKET

The new range of professional accessories designed specifically for small surface car washes.

- **A-Kit Lavaggio Pocket ALUMINIUM**
ECO1 spray gun inlet M22x1,5 M, ball quick coupling outlet, Piuma foam lance with aluminium body and 12cm compact lance for rinsing.
- **A-Kit Lavaggio Pocket BRASS**
ECO1 spray gun inlet M22x1,5 M, outlet with ball quick coupling, Piuma foam lance with brass body and 12cm compact lance for rinsing.
- **A-Kit Lavaggio Pocket PROFY**
PRO1 gun inlet M22x1,5 M, outlet with swivel ball quick coupling KW type, Piuma foam lance with brass body and 12 cm compact lance for rinsing.



All the versions of A-Kit Lavaggio Pocket are supplied in the innovative display packaging


A-Kit Lavaggio Pocket ALUMINIUM



ZL.1MPA

A-Kit Lavaggio Pocket ALUMINIUM


A-Kit Lavaggio Pocket BRASS



ZL.1MMA

A-Kit Lavaggio Pocket BRASS

A-Kit Lavaggio Pocket PROFY



ZL.12WB

A-Kit Lavaggio Pocket PROFY

CAR WASH

A-VORTICE
A-Vortice Classico



Code Description


ZX.7220-BK

Gun for cleaning car interiors, powered by compressed air.
Steel body, pressure range 5-6,5bar; M quick coupling inlet; plastic rotating pipe, 1L tank capacity, detergent suction filter.

A-Vortice: how to use a car cleaning air gun - Video demo




ZX.7221



Service kit for A-Vortice Classico ZX.7220 old version

quantity
4x1

ZX.7225




Service kit for A-Vortice Classico ZX.7220-BK

quantity
4x1

Spare parts list

	Code	Description	Quantity	ZX.7221	ZX.7225
1	CDR.7676	Lance extension	1	•	•
2	CDR.7678	Rotating pipe with fitting	2	•	•
3	CDR.7677	Inner pipe with connection G1/4" M-M	1	•	
	CDR.5N003	Inner pipe with connection G1/4" M - G1/8" M	1		•

A-Vortice Metallo Black



Code Description

ZX.7223

A-Vortice Metallo Black
Gun for cleaning car interiors, powered by compressed air.
Body made of steel, pressure range 5-8bar; M quick coupling inlet; metal rotating pipe, 1L tank capacity,detergent suction filter.


A-Vortice: product demo to learn how to take care of your car using an air gun and car wash foam gun



A-VORTICE**A-Vortice Aspira Rotante**

Gun for the complete cleaning of seats, floor mats, car interiors.

Nebulizes the detergent, bringing dirt to the surface and then sucking it up in a single step.

MADE
IN TAIWAN**CDR.7434-BE**

Wide extractor

CDR.7434-SE

Tight extractor



**ZX.7223-BKAR**

A-Vortice Aspira Rotante complete with:

- CDR.7434-BE (1)
- ZX.7223-BK (2)
- CDR.7434-A (3)

ZX.7223-BK**CDR.7434-A**

Set of 4 adapters for accessories sleeve for Hoover/liquids

MADE
IN TAIWAN**A-Vortice Metallo**


Gun for cleaning car interiors, powered by compressed air.

- Working pressure 4-6,5bar
- Inlet with quick coupling M
- Tank 1L

A-VORTICE ARIA GOLD, LAMA AND COMPACT

A-Vortice ARIA GOLD

MADE IN TAIWAN



Working pressure: 3,5bar-8bar
Air consumption: 110l/min
Inlet with quick coupling M
Speed aluminium tube: 6000rpm

Code

Description

ZX.2349


Gun for cleaning vehicle interiors and mechanical parts.

A-Vortice ARIA GOLD is used with compressed air from a normal compressor from 3.5 to 8 bar. The cone is made of impact-resistant plastic material, which prevents any damage to the bodywork. Inside the outlet cone is the rotating aluminium tube with internal movement on a bearing.

A-Vortice LAMA and COMPACT

Pair of guns for cleaning hard-to-reach mechanical parts.

MADE IN TAIWAN



A-Vortice LAMA

Working pressure: 4bar-7bar
Air consumption: 700l/min
Inlet with quick coupling M
Terminal equipped with brush

A-Vortice COMPACT

Working pressure: 7bar
Air consumption: 120l/min
Inlet with quick coupling M
Terminal equipped with brush

Code

Description

ZX.7435-6

Pair of guns for removing dust, crumbs and dirt particles.
 Guns for cleaning vehicle interiors and hard-to-reach mechanical parts.





A-VORTICE ARIA AND ARIA PLUS

A-Vortice ARIA TURBO

Detail of the
air intake of
the A-Vortice
ARIA TURBO



Code

ZX.7227

Description

Gun for cleaning car interiors and mechanical parts.

Used with compressed air at 3 to 7bar from a standard compressor. A-Vortice ARIA TURBO does not have the detergent bottle or the rotating pipe but is equipped with a Turbo extension.

A-Vortice ARIA TURBO features a Venturi system that sucks fresh air from the outside, increasing the quantity of air blown by the gun.

A-Vortice ARIA TURBO PLUS

MADE
IN TAIWAN

Detail of the air
intake of the
A-Vortice ARIA
TURBO PLUS



Code

ZX.7229

Description


Gun for cleaning car interiors and mechanical parts that are difficult to reach.

Used with compressed air from 3 to 7bar from a standard compressor. A-Vortice ARIA TURBO PLUS does not have the detergent bottle or the rotating pipe, but it is equipped with a Turbo extension. A-Vortice ARIA TURBO PLUS features a Venturi system that sucks fresh air from the outside, increasing the volume of air inside the gun. Before going out, the air is channelled into a chamber in the form of a gun barrel that "rolls" it over, thus enabling the turbo air flow to maintain its compactness and pressure even at 20-30 centimetres from the outlet nozzle.

A-Vortice ARIA ROTANTE PLUS

MADE
IN TAIWAN

Detail of the
rotating pipe with
rotation speed of
3000Rpm



Code

ZX.7228

Description

Gun for cleaning car interiors and mechanical parts.

A-Vortice ARIA ROTANTE PLUS is used with compressed air from a standard compressor at 3 to 7bar.

It is an A-Vortice Classico but without the detergent bottle and thus without the intake pipe; the cone is made of shockproof plastic, preventing any damage to the car body. The classic rotating pipe is situated inside the outlet cone. The characteristics of the A-Vortice ARIA ROTANTE PLUS enable thorough cleaning of the surfaces of the car that are the smallest and narrowest and thus difficult to clean.

ENGLISH

Copyrights© to this catalogue belong to IDROBASE GROUP® Srl. Reading, reference and dissemination in paper or electronic formats for personal use are permitted. Use for commercial purposes is not permitted, nor is any type of alteration except with the written consent of IDROBASE GROUP® Srl.

This catalogue cancels and supersedes the earlier version.

This catalogue provides general information on the products supplied by IDROBASE GROUP® Srl.

It is intended for retailers, system engineers, designers and more generally, all those who are already adequately familiar with said products, the materials from which they are made, their characteristics, efficiency and operation; it is therefore not intended for consumers who, in order to handle, install or perform any operation with the goods described here, must necessarily contact qualified and skilled personnel.

Also, with regard to skilled personnel, this catalogue should be considered a mere commercial tool, not containing the necessary technical specifications - which may be obtained free of charge from Idrobase, and as such, not suitable for use as a single go-to reference tool for the design, construction or installation of any kind of system.

The illustrations, technical characteristics, functions and other information given here about individual products, systems, installations and the like are based on the current state of the art: however, only the most immediately applicable information can be reproduced here, without any consideration for the global data necessary to design, implement and install any system, which must therefore be carefully assessed by designers, system engineers and installers.

Therefore, for specific indications on all products in the catalogue, please contact our main office, where competent staff are always on hand to answer any additional queries.

All the illustrations reproduced here may be slightly different from actual products and therefore, they should simply be intended as closely representing real items.

We reserve the right to introduce changes in all the products. For this reason, too, it is advisable to directly contact our main office.

In case of doubts regarding interpretation, the original Italian text will prevail.

When a new reprint is published, the present edition will no longer be valid.



IDROBASE®
PASSION FOR WATER

Idrobase Group Srl

Via dell'Industria, N. 25
35010 Borgoricco (PD) Italia

T: +39 049 9335903 r.a.

www.idrobasegroup.com
info@idrobasegroup.com



Recognition of maximum
commercial reliability

